

*The Applications of*  
**STAINLESS  
STEEL  
SHAPES**




***Stainless Steel***

.....  
• *Simple* • *Keen* • *Installation*

**SK-I**

# Standard Size and Unit Weight


標準尺寸與單位重量



角鋼  
Angle Bar

尺寸 Size (mm)	厚度 Thickness (mm)									
	3	4	5	6	7	8	9	10	12	
A x B										
20 x 20	0.89	1.13	1.38							
25 x 25	1.13	1.45	1.77	2.06						
30 x 30	1.36	1.77	2.17	2.53						
35 x 35	1.61	2.09	2.57	3.01						
40 x 40	1.85	2.41	2.97	3.49						
45 x 45	2.12	2.76	3.40	4.00						
50 x 50	2.36	3.07	3.79	4.46	5.13	5.76	6.42	7.06		
60 x 60			4.58	5.42	6.24	7.03				
65 x 65			5.03	5.95	6.84	7.71	8.60	9.48		
70 x 70			5.42	6.42	7.39	8.34	9.31	10.3		
75 x 75			5.82	6.89	7.95	8.97	10.0	11.1	13.1	
80 x 80				7.37	8.50	9.61	10.7	11.8	14.0	
90 x 90				8.33	9.65	10.9	12.2	13.4	15.9	
100 x 100				9.28	10.8	12.2	13.6	15.0	17.8	

單位重量:Kg/m 定尺長度:4 - 6m



扁鋼  
Flat Bar




寬度 Width (mm)	厚度 Thickness (mm)																
	3	4	5	6	8	9	10	12	14	16	19	20	22	25	30	35	40
10		0.316	0.395	0.474													
12	0.284	0.379	0.474	0.569	0.758	0.853	0.948										
13	0.308	0.411	0.514	0.616	0.822	0.924	1.030										
14	0.332	0.442	0.553	0.664	0.885	0.995	1.110										
15	0.356	0.474	0.592	0.711	0.948	1.070	1.180										
16	0.379	0.506	0.632	0.758	1.010	1.140	1.260	1.520									
20	0.474	0.632	0.790	0.948	1.260	1.420	1.580	1.900	2.210	2.530							
25	0.592	0.790	0.988	1.180	1.580	1.780	1.980	2.370	2.760	3.160	3.750	3.950	4.340				
30	0.711	0.948	1.180	1.420	1.900	2.130	2.370	2.840	3.320	3.790	4.500	4.740	5.210	5.920			
32	0.758	1.010	1.260	1.520	2.020	2.280	2.530	3.030	3.540	4.040	4.800	5.060	5.560	6.320			
35	0.830	1.110	1.380	1.660	2.210	2.490	2.760	3.320	3.870	4.420	5.250	5.530	6.080	6.910			
38	0.901	1.200	1.500	1.800	2.400	2.700	3.000	3.600	4.200	4.800	5.700	6.000	6.600	7.500			
40	0.948	1.260	1.580	1.900	2.530	2.840	3.160	3.790	4.420	5.060	6.000	6.320	6.950	7.900			
45	1.070	1.420	1.780	2.130	2.840	3.200	3.560	4.270	4.980	5.690	6.750	7.110	7.820	8.890			
50	1.180	1.580	1.980	2.370	3.160	3.560	3.950	4.740	5.530	6.320	7.500	7.900	8.690	9.880	11.800	13.800	
60	1.420	1.900	2.370	2.840	3.790	4.270	4.740	5.690	6.640	7.580	9.010	9.480	10.400	11.800	14.200	16.600	
65	1.540	2.050	2.570	3.080	4.110	4.620	5.140	6.160	7.190	8.220	9.760	10.300	11.300	12.800	15.400	18.000	
70		2.210	2.760	3.320	4.420	4.980	5.530	6.640	7.740	8.850	10.500	11.100	12.200	13.800	16.600	19.400	
75		2.370	2.960	3.560	4.740	5.330	5.920	7.110	8.300	9.480	11.300	11.800	13.000	14.800	17.800	20.700	23.700
80			3.160	3.790	5.060	5.690	6.320	7.580	8.850	10.100	12.000	12.600	13.900	15.800	19.000	22.100	25.300
90			3.560	4.270	5.690	6.400	7.110	8.530	9.950	11.400	13.500	14.200	15.600	17.800	21.300	24.900	28.400
100			3.950	4.740	6.320	7.110	7.900	9.480	11.100	12.600	15.000	15.800	17.400	19.800	23.700	27.600	31.600
125					7.900	8.890	9.880	11.800	13.800	15.800	18.800	19.800	21.700	24.700	29.600	34.600	39.500
150					9.480	10.700	11.800	14.200	16.600	19.000	22.500	23.700	26.100	29.600	35.600	41.500	47.400
200						14.200	15.800	19.000	22.100	25.300	30.000	31.600	34.800	39.500	47.400	55.300	63.200
250						17.800	19.800	23.700	27.600	31.600	37.500	39.500	43.400	49.400	59.200	69.100	79.000
300						21.300	23.700	28.400	33.200	37.900	45.000	47.400	52.100	59.200	71.100	83.000	94.800
350										44.200	52.500	55.300	60.800	69.100	83.000		

單位重量:Kg/m 定尺長度:4 - 6m

断面特性(参考)

Characteristics of Section (Reference)




Geometrical moment of inertia  $I = ai^2$   
 Radius of gyration of area  $i = \sqrt{I/a}$   
 Modulus of section  $Z = I/e$   
 a : Sectional area

	Size (mm)		Size (mm)		Sectional Area (cm <sup>2</sup> )	Position of Center of Gravity (cm <sup>2</sup> )		Geometrical Moment of Inertia (cm <sup>2</sup> )		Radius of Gyration of Area (cm <sup>2</sup> )		Modulus of Section (cm <sup>2</sup> )	
	A x B x t	r1	r2	a		Cx	Cy	Ix	Iy	ix	iy	Zx	Zy
Metric Size	20 x 20 x 3	4.0	2.0	1.127	0.60	0.60	0.39	0.39	0.59	0.59	0.28	0.28	
	25 x 25 x 3	4.0	2.0	1.427	0.72	0.72	0.80	0.80	0.75	0.75	0.45	0.45	
	25 x 25 x 4	4.0	3.0	1.836	0.79	0.79	0.98	0.98	0.73	0.73	0.57	0.57	
	25 x 25 x 5	4.0	3.0	2.245	0.79	0.79	1.17	1.17	0.72	0.72	0.69	0.69	
	25 x 25 x 6	4.0	4.0	2.606	0.82	0.82	1.31	1.31	0.71	0.71	0.78	0.78	
	30 x 30 x 3	4.0	2.0	1.727	0.84	0.84	1.42	1.42	0.91	0.91	0.66	0.66	
	30 x 30 x 4	4.0	3.0	2.236	0.88	0.88	1.77	1.77	0.89	0.89	0.84	0.84	
	30 x 30 x 5	4.0	3.0	2.746	0.92	0.92	2.14	2.14	0.88	0.88	1.03	1.03	
	30 x 30 x 6	4.0	4.0	3.206	0.94	0.94	2.41	2.41	0.87	0.87	1.17	1.17	
	35 x 35 x 4	4.5	3.0	2.645	1.00	1.00	2.91	2.91	1.05	1.05	1.17	1.17	
	40 x 40 x 3	4.5	2.0	2.336	1.09	1.09	3.53	3.53	1.23	1.23	1.21	1.21	
	40 x 40 x 4	4.5	3.0	3.045	1.12	1.12	4.46	4.46	1.21	1.21	1.55	1.55	
	40 x 40 x 5	4.5	3.0	3.755	1.17	1.17	5.42	5.42	1.20	1.20	1.91	1.91	
	40 x 40 x 6	4.5	4.0	4.415	1.20	1.20	6.19	6.19	1.18	1.18	2.21	2.21	
	45 x 45 x 5	6.5	3.0	4.302	1.28	1.28	7.91	7.91	1.36	1.36	2.46	2.46	
	50 x 50 x 3	6.5	2.0	2.984	1.33	1.33	7.10	7.10	1.54	1.54	1.93	1.93	
	50 x 50 x 4	6.5	3.0	3.892	1.37	1.37	9.06	9.06	1.53	1.53	2.49	2.49	
	50 x 50 x 5	6.5	3.0	4.802	1.41	1.41	11.1	11.1	1.52	1.52	3.08	3.08	
	50 x 50 x 6	6.5	4.5	5.644	1.44	1.44	12.6	12.6	1.50	1.50	3.55	3.55	
	60 x 60 x 5	6.5	3.0	5.802	1.66	1.66	19.6	19.6	1.84	1.84	4.52	4.52	
	60 x 60 x 6	6.5	4.0	6.862	1.69	1.69	22.8	22.8	1.82	1.82	5.29	5.29	
	65 x 65 x 5	8.5	3.0	6.367	1.77	1.77	25.3	25.3	1.99	1.99	5.35	5.35	
	65 x 65 x 6	8.5	4.0	7.527	1.81	1.81	29.4	29.4	1.98	1.98	6.26	6.26	
	65 x 65 x 10	8.5	6.0	12.000	1.96	1.96	44.4	44.4	1.92	1.92	9.77	9.77	
	70 x 70 x 6	8.5	4.0	8.127	1.93	1.93	37.1	37.1	2.14	2.14	7.33	7.33	
	70 x 70 x 7	8.5	5.0	9.358	1.97	1.97	41.5	41.5	2.11	2.11	8.25	8.25	
	75 x 75 x 5	8.5	3.0	7.367	2.02	2.02	39.5	39.5	2.32	2.32	7.21	7.21	
	75 x 75 x 6	8.5	4.0	8.727	2.06	2.06	46.1	46.1	2.30	2.30	8.47	8.47	
75 x 75 x 8	8.5	6.0	11.360	2.13	2.13	58.1	58.1	2.26	2.26	10.8	10.8		
75 x 75 x 9	8.5	6.0	12.690	2.17	2.17	64.4	64.4	2.25	2.25	12.1	12.1		
75 x 75 x 10	8.5	6.0	14.000	2.21	2.21	70.5	70.5	2.24	2.24	13.3	13.3		
80 x 80 x 8	8.5	6.0	12.160	2.25	2.25	71.2	71.2	2.42	2.42	12.4	12.4		
90 x 90 x 9	10.0	6.0	15.450	2.54	2.54	114.0	114.0	2.72	2.72	17.6	17.6		
100 x 100 x 6	10.0	5.0	11.750	2.67	2.67	112.0	112.0	3.09	3.09	15.3	15.3		
100 x 100 x 7	10.0	5.0	13.620	2.71	2.71	129.0	129.0	3.08	3.08	17.7	17.7		
100 x 100 x 8	10.0	6.0	15.420	2.75	2.75	145.0	145.0	3.07	3.07	20.0	20.0		
100 x 100 x 9	10.0	6.0	17.250	2.79	2.79	160.0	160.0	3.05	3.05	22.2	22.2		
100 x 100 x 10	10.0	7.0	19.000	2.82	2.82	175.0	175.0	3.04	3.04	24.4	24.4		
100 x 100 x 12	10.0	7.0	22.560	2.90	2.90	205.0	205.0	3.01	3.01	28.9	28.9		
130 x 130 x 12	12.0	6.0	29.910	3.65	3.65	474.0	474.0	3.98	3.98	50.7	50.7		
Cold Rolled Angle Bar	25 x 25 x 3	1.5	0	1.415	0.734	0.734	0.821	0.821	0.762	0.762	0.465	0.465	
	30 x 30 x 3	1.5	0	1.715	0.859	0.859	1.46	1.46	0.923	0.923	0.682	0.682	
	40 x 40 x 3	1.5	0	2.315	1.11	1.11	3.58	3.58	1.24	1.24	1.24	1.24	
	40 x 40 x 5	1.5	0	3.755	1.18	1.18	5.56	5.56	1.22	1.22	1.97	1.97	
	50 x 50 x 5	1.5	0	4.755	1.43	1.43	11.3	11.3	1.54	1.54	3.16	3.16	
	50 x 50 x 6	2.0	0	5.649	1.47	1.47	13.1	13.1	1.52	1.52	3.72	3.72	
	60 x 60 x 6	2.0	0	6.849	1.72	1.72	23.3	23.3	1.85	1.85	5.45	5.45	
	75 x 75 x 6	2.0	0	8.649	2.10	2.10	46.9	46.9	2.33	2.33	8.68	8.68	
100 x 100 x 6	2.0	0	11.650	2.72	2.72	114.0	114.0	3.13	3.13	15.7	15.7		

STAINLESS STEEL SHAPES



	Size (mm)		Size (mm)		Inch	Sectional Area (cm <sup>2</sup> )	Position of Center of Gravity (cm <sup>2</sup> )		Geometrical Moment of Inertia (cm <sup>2</sup> )		Radius of Gyration of Area (cm <sup>2</sup> )		Modulus of Section (cm <sup>2</sup> )	
	A x B x t	r1	r2	A X B X t	a	Cx	Cy	Ix	Iy	ix	iy	Zx	Zy	
Inch Size	19.05 x 19.05 x 3.18	4	2	3/4 x 3/4 x 1/8	1.127	0.579	0.579	0.347	0.347	0.555	0.555	0.262	0.262	
	25.4 x 25.4 x 3.18	4	2	1 x 1 x 1/8	1.531	0.737	0.737	0.881	0.881	0.759	0.759	0.489	0.489	
	25.4 x 25.4 x 4.76	4	3	1 x 1 x 3/16	2.187	0.792	0.792	1.190	1.190	0.738	0.738	0.681	0.681	
	25.4 x 25.4 x 4.76	4	4	1 x 1 x 1/4	2.788	0.844	0.844	1.440	1.440	0.720	0.720	0.852	0.852	
	25.4 x 25.4 x 6.35	4	2	1-1/4 x 1-1/4 x 1/8	1.935	0.895	0.895	1.790	1.790	0.963	0.963	0.787	0.787	
	25.4 x 25.4 x 6.35	4	3	1-1/4 x 1-1/4 x 3/16	2.792	0.952	0.952	2.470	2.470	0.940	0.940	1.110	1.110	
	31.75 x 31.75 x 3.18	4	4	1-1/4 x 1-1/4 x 1/4	3.595	1.010	1.010	3.040	3.040	0.920	0.920	1.400	1.400	
	31.75 x 31.75 x 4.76	4.5	2	1-1/2 x 1-1/2 x 1/8	2.348	1.050	1.050	3.190	3.190	1.170	1.170	1.160	1.160	
	31.75 x 31.75 x 4.76	4.5	3	1-1/2 x 1-1/2 x 3/16	3.405	1.110	1.110	4.450	4.450	1.140	1.140	1.650	1.650	
	31.75 x 31.75 x 6.35	4.5	4	1-1/2 x 1-1/2 x 1/4	4.410	1.160	1.160	5.540	5.540	1.120	1.120	2.090	2.090	
	31.75 x 31.75 x 6.35	6.5	2	2 x 2 x 1/8	3.203	1.360	1.360	7.870	7.870	1.570	1.570	2.110	2.110	
	31.75 x 31.75 x 6.35	6.5	3	2 x 2 x 3/16	4.662	1.420	1.420	11.10	11.10	1.540	1.540	3.040	3.040	
	31.75 x 31.75 x 6.35	6.5		2 x 2 x 1/4	6.052	1.470	1.470	13.90	13.90	1.520	1.520	3.870	3.870	
	31.75 x 31.75 x 6.35	4.5		2 x 2 x 3/8	8.710	1.590	1.590	19.10	19.10	1.480	1.480	5.460	5.460	
	38.1 x 38.1 x 3.18	6.5	6	2-1/2 x 2-1/2 x 3/16	5.935	1.720	1.720	22.50	22.50	1.950	1.950	4.860	4.860	
	38.1 x 38.1 x 4.76	8.5	3	2-1/2 x 2-1/2 x 1/4	7.748	1.790	1.790	28.70	28.70	1.920	1.920	6.290	6.290	
	38.1 x 38.1 x 4.76	8.5	4	2-1/2 x 2-1/2 x 3/8	11.20	1.900	1.900	39.50	39.50	1.880	1.880	8.890	8.890	
	38.1 x 38.1 x 6.35	8.5	6	3 x 3 x 3/16	7.144	2.040	2.040	39.70	39.70	2.360	2.360	7.110	7.110	
	38.1 x 38.1 x 6.35	8.5	3	3 x 3 x 1/4	9.361	2.100	2.100	51.00	51.00	2.330	2.330	9.240	9.240	
	38.1 x 38.1 x 6.35	8.5	4	3 x 3 x 3/8	13.62	2.220	2.220	71.20	71.20	2.290	2.290	13.200	13.200	
50.8 x 50.8 x 3.18	8.5	6	3 x 3 x 1/2	17.69	2.340	2.340	89.50	89.50	2.250	2.250	16.900	16.900		
50.8 x 50.8 x 4.76	8.5	7	4 x 4 x 1/4	12.65	2.730	2.730	125.00	125.00	3.150	3.150	16.900	16.900		
50.8 x 50.8 x 6.35	10	4	4 x 4 x 3/8	18.52	2.850	2.850	178.00	178.00	3.100	3.100	24.300	24.300		
50.8 x 50.8 x 6.35	10	5	4 x 4 x 1/2	24.20	2.970	2.970	226.00	226.00	3.060	3.060	31.500	31.500		



Geometrical moment of inertia  $I = ai^2$   
 Radius of gyration of area  $i = \sqrt{I/a}$   
 Modulus of section  $Z = I/e$   
 a : Sectional area


### 断面特性(参考)

### Characteristics of Section (Reference)

	Size				Sectional Area (cm <sup>2</sup> )	Position of Center of Gravity (cm <sup>2</sup> )		Geometrical Moment of Inertia (cm <sup>2</sup> )		Radius of Gyration of Area (cm <sup>2</sup> )		Modulus of Section (cm <sup>2</sup> )	
	mm		h			a	Cx	Cy	Ix	Iy	ix	iy	Zx
	H x B x t	r1	r2	H x B x t	a	Cx	Cy	Ix	Iy	ix	iy	Zx	Zy
Metric Size	40 x 20 x 3	4.0	2.0		2.272	0	0.590	5.22	0.778	1.52	0.585	2.61	0.552
	50 x 25 x 3	4.0	2.0		2.872	0	0.715	10.60	1.600	1.92	0.746	4.26	0.896
	80 x 40 x 5	4.5	3.0		7.548	0	1.160	71.10	10.900	3.07	1.200	17.80	3.830
	100 x 50 x 4	6.5	3.0		7.823	0	1.360	121.00	18.200	3.93	1.520	24.20	4.990
	100 x 50 x 5	6.5	3.0		9.643	0	1.400	146.00	22.100	3.89	1.520	29.20	6.160
	100 x 50 x 6	6.5			11.370	0	1.430	168.00	25.300	3.85	1.490	33.70	7.090
	120 x 60 x 6	4.5			13.790	0	1.690	300.00	45.600	4.66	1.820	50.00	10.600
	130 x 65 x 6	6.5	4.0		15.120	0	1.800	390.00	58.900	5.08	1.970	60.00	12.500
	130 x 65 x 9	8.5	4.0		21.940	0	1.910	538.00	81.500	4.95	1.930	82.80	17.700
	140 x 70 x 7	8.5	6.0		18.820	0	1.960	558.00	84.200	5.44	2.120	79.70	16.700
	150 x 75 x 6	8.5	5.0		17.520	0	2.050	609.00	92.300	5.89	2.300	81.20	16.900
	150 x 75 x 9	8.5	4.0		25.540	0	2.160	850.00	129.000	5.77	2.250	113.00	24.200
	160 x 80 x 8	8.5	6.0		24.480	0	2.240	946.00	143.000	6.22	2.420	118.00	24.800
	180 x 90 x 9	8.5	6.0		31.050	0	2.530	1520.00	231.000	7.00	2.730	169.00	35.700
200 x 100 x 10	10.0	6.0		38.220	0	2.810	2310.00	351.000	7.77	3.030	231.00	48.800	
Inch Size	76.2 x 38.1 x 4.76	10.0	7.0	3 x 1-1/2 x 3/16	6.849	0	1.100	58.60	8.910	2.92	1.140	15.40	3.290
	76.2 x 38.1 x 6.35	4.5	3.0	3 x 1-1/2 x 1/4	8.889	0	1.160	72.80	11.100	2.86	1.120	19.10	4.190
	101.60 x 50.8 x 6.35	4.5	4.0	4 x 2 x 1/4	12.210	0	1.470	186.00	28.200	3.90	1.520	36.60	7.810
	127.0 x 63.5 x 6.35	6.5	4.0	5 x 2-1/2 x 1/4	15.560	0	1.780	380.00	57.500	4.94	1.920	59.80	12.600
	152.4 x 76.2 x 6.35	8.5	4.0	6 x 3 x 1/4	18.790	0	2.100	672.00	102.000	5.98	2.330	88.10	18.500
203.2 x 101.6 x 9.53	8.5	4.0	8 x 4 x 3/8	37.100	0	2.830	2330.00	353.000	7.92	3.090	229.00	48.200	

# Standard Size and Unit Weight


標準尺寸與單位重量



槽鋼  
Channel

尺寸Size(mm) H x B	厚度Thickness t (mm)								
	3	4	5	6	7	8	9	10	12
40 x 20	1.79								
50 x 25	2.27								
60 x 30	2.74	3.56	4.37	5.12					
70 x 35	3.23	4.21	5.17	6.08					
80 x 40	3.71	4.84	5.96	7.03					
90 x 45	4.25	5.55	6.83	8.05					
100 x 50	4.73	6.18	7.62	8.98	10.3	11.7	13.0	14.2	
120 x 60			9.20	10.9	12.6	14.2			
130 x 65			10.1	11.9	13.8	15.5	17.3	19.1	
140 x 70				12.9	14.9	16.8	18.8	20.7	
150 x 75				13.8	16.0	18.1	20.2	22.2	26.3
160 x 80				14.8	17.1	19.3	21.6	23.8	28.1
180 x 90				16.7	19.4	22.0	24.5	27.0	32.0
200 x 100				18.6	21.6	24.5	27.4	30.2	35.8


單位重量:Kg/m 定尺長度:4 - 6m



工字鋼  
H-Beam

尺寸Size(mm) H x B x t1 x t2	單位重量 Unit Weight	尺寸Size(mm) H x B x t1 x t2	單位重量 Unit Weight
75 x 75 x 5 x 8	11.8	350 x 350 x 10 x 16	114
100 x 100 x 6 x 8	16.6	350 x 350 x 12 x 19	135
125 x 125 x 7 x 9	23.7	400 x 200 x 8 x 14	67.8
148 x 100 x 6 x 9	20.4	400 x 300 x 10 x 16	105
150 x 150 x 8 x 10	31.9	400 x 400 x 14 x 22	178
200 x 100 x 6 x 8	21.4	450 x 200 x 9 x 14	74.2
200 x 200 x 8 x 12	49.0	450 x 300 x 12 x 18	125
250 x 125 x 6 x 9	28.8	500 x 200 x 10 x 16	87.5
250 x 250 x 9 x 14	71.1	600 x 200 x 10 x 16	95.4
300 x 300 x 10 x 16	97.0	600 x 300 x 12 x 20	148
350 x 250 x 9 x 14	78.2	600 x 300 x 14 x 25	179

單位重量:Kg/m 定尺長度:4 - 6m



方鋼  
Square Bar

尺寸 Size (mm)	單位重量 (Kg/m)	尺寸 Size (mm)	單位重量 (Kg/m)	尺寸 Size (mm)	單位重量 (Kg/m)
10x10	0.79	25x25	4.94	50x50	19.8
12x12	1.14	28x28	6.19	55x55	23.9
13x13	1.34	30x30	7.11	60x60	28.4
14x14	1.55	32x32	8.09	65x65	33.4
15x15	1.78	36x36	10.2	70x70	38.7
16x16	2.03	38x38	11.4	75x75	44.4
19x19	2.85	40x40	12.6	90x90	64.0
20x20	3.16	42x42	13.9	100x100	79.0
22x22	3.82	45x45	16.0		

單位重量:Kg/m 定尺長度:4 - 6m

對上述各形材，如果希望超長尺寸的，請和我們聯絡。

STAINLESS STEEL SHAPES



**BUN KEE (INT'L) LIMITED**

**彬記(國際)有限公司**

世寶彬記集團有限公司之全資附屬機構-香港聯合交易所會員

**Head Office**

12/F., Phase 1, Austin Tower, 22-26 Austin Avenue, T.S.T. Kowloon, Hong Kong

Tel : (852) 2728 7237

Fax : (852) 2387 2999

E-mail : [info@bunkee.com](mailto:info@bunkee.com)

**Warehouse**

Sections M and N of Lot no. 3719 in DD104, YuenLong, New Territories

Tel : (852) 2471 9048

Fax : (852) 2482 1298

**Retail Shops**

**Mongkok**

G/F., 618 Shanghai Street, Mongkok, Kowloon

Tel : (852) 2395 0181

Fax : (852) 2787 3421

**Yuen Long**

G/F., No.30 Hop Yick Road, Yuen Long, N.T.

Tel : (852) 2473 3660

Fax : (852) 2442 2766

**Wanchai**

Shop A, G/F., No. 7-11 Tai Wong Street East, Wanchai, Hong Kong

Tel : (852) 2866 6001

Fax : (852) 2866 6339